


LEE BROOM

ORION GLOBE LIGHT



LED Driver Dimensions

10cm x 6cm x 3cm

Suitable sized cavity / housing required for LED driver in ceiling or surface mounting.

Alternatively use deep canopy to mount LED driver in canopy.

PRODUCT DETAILS

Name

Orion Globe Light

Finish & Product Code

Polished Gold ● ORI0010

Polished Gunmetal ● ORI0011

Materials

Opal glass globe, steel tube

Illumination

6.2W, 2700k, 377 lumen, 24VDC, CRI 85

Supplied with separate LED driver with 220-240V input.

Dimming

Dimmable. Recommended dimmer for up to 8 units:

Varilight V-Pro JPQ401 (120w)

For more than 8 units, please contact us.

Certification

CE, CB



Year of Design

2018

Dimensions

H 13cm x W 88.5cm

Suspension

Length: 500cm

1 x Adjustable steel tensile wire & 1 x Cord with transparent casing
Kit to hang horizontally or vertically included.

Ceiling plate / Canopy

2 x mini canopies to enable LED driver to be surface mounted or installed in ceiling.

H 1.55cm (in ceiling) or H 3.1cm (surface) x Dia 4cm

Also available is 1 x deep canopy that can mount LED driver in canopy if required (H 6.5cm x Dia 13cm).

Round steel in polished gold finish.

Weight

Product (net): 2.41 kg

Boxed (gross): 3.32 kg



For more information please contact:

US & Canada Inquiries: +1 212 804 8477 - sales@leebroom.com


UK & Global Inquiries: +44 207 820 0742 - 95 Rivington Street, London, EC2A 3AY - info@leebroom.com

www.leebroom.com

0620rev14

LEE BROOM

ORION GLOBE LIGHT



Must be installed with LED driver

LED driver to be installed remotely in suitable sized cavity / housing
Refer to LED driver specification sheet for correct size of LED driver supplied with your particular Orion set-up.

PRODUCT DETAILS

Name

Orion Globe Light

Finish & Product Code

Polished Gold	●	ORI0110
Polished Gunmetal	●	ORI0111

Materials

Opal glass globe, steel tube

Illumination

6.2W, 2700k, 377 lumen, 24VDC, CRI 85
Supplied with separate LED driver with 110-130V input.

Dimming

Dimmable. Lutron C.L dimmers recommended for up to 8 units
For more than 8 units, please contact us.

Certification

UL, cULus



Year of Design

2018

Dimensions

H 13cm x W 88.5cm - H 5 1/8 in x W 34 7/8 in

Suspension

Length: 500cm - 196 7/8 in
1 x Adjustable steel tensile wire & 1 x Cord with transparent casing
Kit to hang horizontally or vertically included.

Ceiling plate / Canopy

2 x mini canopies
H 1.55cm (in ceiling) or H 3.1cm (surface) x Dia 4cm - H 5/8 in (in ceiling) or H 1 1/4cm (surface) x Dia. 1 5/8 in.

Weight

Product (net): 2.41 kg / 5.31 lbs
Boxed (gross): 3.32 kg / 7.32 lbs



For more information please contact:

US & Canada Inquiries: +1 212 804 8477 - sales@leebroom.com


UK & Global Inquiries: +44 207 820 0742 - 95 Rivington Street, London, EC2A 3AY - info@leebroom.com

www.leebroom.com

0720rev15

LEE BROOM

ORION TUBE LIGHT



LED Driver Dimensions

10cm x 6cm x 3cm (3 7/8 in x 2 3/8 in x 1 1/8 in)
Suitable sized cavity / housing required for LED driver in ceiling or surface mounting.
Alternatively use deep canopy to mount LED driver in canopy.

PRODUCT DETAILS

Name		
Orion Tube Light		
Finish & Product Code		
Polished Gold	●	ORI0020
Polished Gunmetal	●	ORI0021
Materials		
Opal acrylic tube, steel globe		
Illumination		
16.8W, 2700k, 1069 lumen, 24VDC, CRI 85 Supplied with separate LED driver with 220-240V input.		
Dimming		
Dimmable. Recommended dimmer for up to 8 units: Varilight V-Pro JPQ401 (120w) For more than 8 units, please contact us.		
Certification		
CE, CB		



Year of Design	
2018	
Dimensions	
H 13cm x W 88.5cm	
Suspension	
Length: 500cm 1 x Adjustable steel tensile wire & 1 x Cord with transparent casing Kit to hang horizontally or vertically included.	
Ceiling plate / Canopy	
2 x mini canopies to enable LED driver to be surface mounted or installed in ceiling. H 1.55cm (in ceiling) or H 3.1cm (surface) x Dia 4cm Also available is 1 x deep canopy that can mount LED driver in canopy if required (H 6.5cm x Dia 13cm). Round steel in polished gold finish.	
Weight	
Product (net): 1.75 kg Boxed (gross): 2.66 kg	



For more information please contact:

US & Canada Inquiries: +1 212 804 8477 - sales@leebroom.com


UK & Global Inquiries: +44 207 820 0742 - 95 Rivington Street, London, EC2A 3AY - info@leebroom.com

www.leebroom.com

0620rev14

LEE BROOM

ORION TUBE LIGHT



Must be installed with LED driver

LED driver to be installed remotely in suitable sized cavity / housing
Refer to LED driver specification sheet for correct size of LED driver supplied with your particular Orion set-up.

PRODUCT DETAILS

Name

Orion Tube Light

Finish & Product Code

Polished Gold ● ORI0120
Polished Gunmetal ● ORI0121

Materials

Opal acrylic tube, steel globe

Illumination

16.8W, 2700k, 1069 lumen, 24VDC, CRI 85
Supplied with separate LED driver with 110-130V input.

Dimming

Dimmable. Lutron C.L dimmers recommended for up to 8 units
For more than 8 units, please contact us.

Certification

UL, cULus



Year of Design

2018

Dimensions

H 13cm x W 88.5cm - H 5 1/8 in x W 34 7/8 in

Suspension

Length: 500cm - 196 7/8 in
1 x Adjustable steel tensile wire & 1 x Cord with transparent casing
Kit to hang horizontally or vertically included.

Ceiling plate / Canopy

2 x mini canopies
H 1.55cm (in ceiling) or H 3.1cm (surface) x Dia 4cm - H 5/8 in (in ceiling) or H 1 1/4cm (surface) x Dia. 1 5/8 in.

Weight

Product (net): 1.75 kg / 3.86 lbs
Boxed (gross): 2.66 kg / 5.86 lbs



For more information please contact:

US & Canada Inquiries: +1 212 804 8477 - sales@leebroom.com

UK & Global Inquiries: +44 207 820 0742 - 95 Rivington Street, London, EC2A 3AY - info@leebroom.com

www.leebroom.com

0720rev15