

CENTRAL

Data Sheet

Floor LED



Central combines graceful design with high functionality and flexibility. The striking lampshade with its light groove giving rise to a soft light, is characteristic of the luminaire range. Measuring over two meters at its maximum height, Central Floor, the family's floor luminaire, is a real eye-catcher, while remaining light in terms of form.

Examples of applications:
Above a coffee table or as a striking dining table luminaire.

Technical data sheet

With a sweeping gesture Central Floor leans down into the space. There is no showmanship involved, each and every detail is well thought through, for example the mechanism in the striking arm: For different lighting tasks, Central Floor can be adjusted height-wise with the vertical telescopic tube, and outwards with the finer horizontal telescopic tube. The asymmetrical arrangement on the base plate, two gentle bends in the arch and the all-round groove in the lampshade lend the luminaire character.


Design Formfjord

Material & surfaces



Material luminaire arm	brushed stainless steel		
Base	steel coated in white	steel coated in pearl gray	steel coated in black
Shade and canopy	aluminum coated in white	aluminum coated in pearl gray	aluminum coated in black

Dimensions



Technical data


Illuminant	LED CoB (The LED circuit board can be replaced by qualified staff)		
Power (nominal value) ¹	35 W		
Luminous flux LED (nominal value) ¹ / Color temperature	3400 lm 2700 K		
Color rendering index	> 90 CRI		
Operating voltage	primary 220 – 240 V AC		
Control	via integrated gesture sensor with dimmer		
Average lifetime LED	50.000 h ²		
Energy efficiency class	A++ to A		
Guarantee	2 years		
Cleaning	only clean with slightly damp microfibre cleaning cloth		
Weight	ca. 38,2 kg (incl. base: 28 kg)		

Please note: The luminaire must not be operated with an external dimmer (e.g., dimmable or variable socket)! This can lead to permanent damage to the electronics. In the event of non-compliance the warranty becomes invalid.



The crossed-out wheellie bin indicates that this electrical appliance must not be disposed of via household waste. In order to protect human health and the environment against potentially hazardous substances, at the end of its lifecycle this product can be taken to a collection point close to you and disposed of free of charge there. This separate disposal enables electrical appliances to be reused or recycled.

Article numbers

		Output (nominal value) ¹	Control Technology	CRI ³	Color Temperature ³	Surface	Article Number
	CENTRAL Floor	35 W	via integrated gesture sensor with dimmer	> 90	2700 K	white	CE1012
						pearl gray	CE1013
						black	CE1011

¹ The nominal values given refer to the illuminants employed at the time the data sheet was compiled. Subject to alterations.

² Specified by the manufacturer. serien Raumleuchten GmbH assumes no liability for the accuracy of the information.

³ Other versions available on request.