


LEE BROOM

SOLSTICE



PRODUCT DETAILS

Name	Year of Design	
Solstice Pendant	2024	

Product Code	110-130V	220-240V
Solstice Pendant, brushed brass	SOL0110	SOL0010
Solstice Pendant, blackened brass	SOL0111	SOL0011

Materials

Opal glass & brass with brushed or blackened finish:



Brushed Brass Blackened Brass

Illumination

5W / 220-240V or 110-130V / E27 or E26 / 2700k
Supplied with 5W dimmable E27/E26 LED bulb

Dimming

Dimmable. Mains voltage. TRIAC / Leading edge

Dimensions

H 22 cm x W 22 cm x D 20 cm / H 8 5/8 x W 8 5/8 x D 7 7/8 in

Weight

Product (net) : 2.3 kg / 5 lb Boxed (gross) : 4.75 kg / 10.5 lb

Suspension

Length : 300 cm / 118 1/8 in (adjustable length)
Gold or brown fabric cable

Ceiling Plate / Canopy

Ø 12 cm x H 5 cm / Ø 4 3/4 in x H 2 in


Certification

110-130V : UL, cULus
220-240V : CE, UKCA, CB



LEE BROOM

SOLSTICE



PRODUCT DETAILS

Name	Year of Design
Solstice Duo Pendant	2024

Product Code	110-130V	220-240V
Solstice Duo Pendant, brushed brass	SOL0120	SOL0020
Solstice Duo Pendant, blackened brass	SOL0121	SOL0021

Materials

Opal glass & brass with brushed or blackened finish:



Brushed Brass Blackened Brass

Illumination

10W / 220-240V or 110-130V / E27 or E26 / 2700k
Supplied with 2x 5W dimmable E27/E26 LED bulbs

Dimming

Dimmable. Mains voltage. TRIAC / Leading edge

Dimensions

H 46 cm x W 22 cm x D 22 cm / H 18 1/8 x W 8 5/8 x D 8 5/8 in

Weight

Product (net) : 5 kg / 11 lb Boxed (gross) : 6.75 kg / 13.2 lb

Suspension

Length : 300 cm / 118 1/8 in (adjustable length)
Gold or brown fabric cable

Ceiling Plate / Canopy

Ø 12 cm x H 5 cm / Ø 4 3/4 in x H 2 in


Certification

110-130V : UL, cULus
220-240V : CE, UKCA, CB



LEE BROOM

SOLSTICE



PRODUCT DETAILS

Name	Year of Design
Solstice Trio Pendant	2024

Product Code	110-130V	220-240V
Solstice Trio Pendant, brushed brass	SOL0130	SOL0030
Solstice Trio Pendant, blackened brass	SOL0131	SOL0031

Materials

Opal glass & brass with brushed or blackened finish:



Brushed Brass Blackened Brass

Illumination

15W / 220-240V or 110-130V / E27 or E26 / 2700k
Supplied with 3x 5W dimmable E27/E26 LED bulbs

Dimming

Dimmable. Mains voltage. TRIAC / Leading edge

Dimensions

H 69 cm x W 22 cm x D 22 cm / H 27 1/8 x W 8 5/8 x D 8 5/8 in

Weight

Product (net) : 7.7 kg / 17 lb Boxed (gross) : 9.75 kg / 21.5 lb

Suspension

Length : 300 cm / 118 1/8 in (adjustable length)
Gold or brown fabric cable

Ceiling Plate / Canopy

Ø 12 cm x H 5 cm / Ø 4 3/4 in x H 2 in



Certification

110-130V : UL, cULus
220-240V : CE, UKCA, CB



LEE BROOM

SOLSTICE



PRODUCT DETAILS

Name	Year of Design	
Solstice Wall Light	2024	

Product Code	110-130V	220-240V
Solstice Wall Light, brushed brass	SOL0140	SOL0040
Solstice Wall Light, blackened brass	SOL0141	SOL0041

Materials

Opal glass & brass with brushed or blackened finish:



Brushed Brass Blackened Brass

Illumination

5W / 220-240V or 110-130V / E27 or E26 / 2700k
Supplied with 5W dimmable E27/E26 LED bulb

Dimming

Dimmable. Mains voltage. TRIAC / Leading edge

Dimensions

H 22 cm x W 20 cm x D 22 cm / H 8 5/8 x W 7 7/8 x D 8 5/8 in

Weight

Product (net) : 2 kg / 4.4 lb Boxed (gross) : 4.5 kg / 9.9 lb

Wall Mount

Supplied with mounting plate for flush fitting to wall.

Additional plate included for 110-130V customers to cover outlet box. Please contact your sales representative for more information.

Certification

110-130V : UL, cULus
220-240V : CE, UKCA, CB

