### OPTICAL SUSPENSION 1 DESIGN MASSIMO TONETTO




DESCRIPTION	Optical Suspension 1 is characterized by a natural or dark burnished brass structure that supports the glass trihedron, available in amber, smoke grey or crystal colors, which floats lightly in the environment. The light source passes through the Murano glass diffuser, radiating a soft and linear light. The Optical collection is available also in wall, floor, table and suspensior versions, with one or three elements.				
PRODUCTS DETAILS	FUNCTIONSUSPENSIONLOCATIONINTERIORLIGHT EMISSIONDIFFUSED LIGHTLIGHT SOURCESTRIP LED 11,5W/m 2700°K 2000lm/m CRI 90+ 24Vdc TOT. = 14,9W 2584lmENERGY EFFICIENCYCRATED VOLTAGE110 - 120 V / 220 - 240 VFREQUENCY50 - 60HzSUPPLYTERMINAL BLOCKBALLASTBALLAST INCLUDEDDALI or TRIAC dimming kit available upon request				
CERTIFICATION					
MATERIALS	STRUCTURE M03 NATURAL BURNISHED BRASS M12 DARK BURNISHED BRASS GLASS C-T CRYSTAL TRIHEDRON G-T SMOKE GREY TRIHEDRON R-T AMBER TRIHEDRON				
PACKAGE	QTYDIMENSIONSNET WEIGHTGROSS WEIGHTTOTAL VOL1 × WOODEN CAGE169 × 42 × H 42 cm (66"5 × 16"5 × H 16"5)5 kg28 kg0,30 m³				
DIMENSIONS	Ø 13 cm (5") adjusted by the second				


### OPTICAL SUSPENSION 1 VERTICAL DESIGN MASSIMO TONETTO



DESCRIPTION	Optical Suspension 1 Vertical combines primary shapes and noble materials. The Murano glass trihedron, supported by the metal structure, floats in space radiating a linear light with soft chromatic reflections. In combination with other horizontal and vertical elements, Optical Suspension 1 creates suspended light sculptures. The Optical collection is also available in floor, table, wall and suspension versions, with one or three elements.					
PRODUCTS DETAILS	FUNCTION LOCATION LIGHT EMISSION LIGHT SOURCE	SUSPENSION INTERIOR DIFFUSED LIGHT <b>OPTICAL SUSPENSION 1 VERTICAL- M</b> STRIP LED 11,5W/m 2700°K 2000lm/m CRI 90+ 24Vdc TOT. = 11,5W 2000lm <b>OPTICAL SUSPENSION 1 VERTICAL - L</b> STRIP LED 11,5W/m 2700°K 2000lm/m CRI 90+ 24Vdc TOT. = 14,9W 2584lm				
	LIGHT SOURCE					
	ENERGY EFFICIENCY RATED VOLTAGE FREQUENCY SUPPLY	C 110 - 120 V / 220 - 240 V 50 - 60Hz TERMINAL BLOCK				
CERTIFICATION	BALLAST DALI or TRIAC dimming kit					
	Wired/ CC 🕒 🙄					
MATERIALS	STRUCTUREM03NATURAL BURNISHED BRASSM12DARK BURNISHED BRASSGLASSC-TC-TCRYSTAL TRIHEDRONG-TSMOKE GREY TRIHEDRONR-TAMBER TRIHEDRON					
PACKAGE	QTY DI	MENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.	
	OPTICAL SUSPENSION 1 1 × WOODEN CAGE 169	V <b>ERTICAL - M</b> 9×42×H42 cm (66"5×16"5×H16"5)	4 kg	27 kg	0,30 m <sup>3</sup>	
	OPTICAL SUSPENSION 1 1 × WOODEN CAGE 169	<b>VERTICAL - L</b> )×42×H42 cm (66"5×16"5×H16"5)	5 kg	28 kg	0,30 m <sup>3</sup>	









DESCRIPTION	Optical Suspension 3 features a natural or dark burnished brass structure that supports three glass trihedrons, available in amber, smoke grey or crystal, creating a suspended and lightweight composition. The light source passes through the Murano glass diffusers, radiating a soft light into the environment. The Optical collection is also available in floor, table, wall and suspension versions, with one element.					
PRODUCTS DETAILS	FUNCTION LOCATION LIGHT EMISSION LIGHT SOURCE	SUSPENSION INTERIOR DIFFUSED LIGHT STRIP LED 11,5W/m 2700°K 2000lm/m CRI 90+ 24Vdc TOT. = 34,5W 6000lm				
	ENERGY EFFICIENCY RATED VOLTAGE FREQUENCY SUPPLY	C 110 - 120 V / 220 - 240 V 50 - 60Hz TERMINAL BLOCK				
	BALLAST	BALLAST INCLUDED				
CERTIFICATION						
MATERIALS	STRUCTURE					
	M03NATURAL BURNISHED BRASSM12DARK BURNISHED BRASS					
	GLASSC-TCRYSTAL TRIHEDRONG-TSMOKE GREY TRIHEDRONR-TAMBER TRIHEDRON					
		EDRON				



#### DIMENSIONS

#### STANDARD

adjustable

Ø45 cm (18")

Ħ


110 cm (43"3)

5cm (2")


110 cm (43"3)

T





43 cm (16"9)



### CANOPY KIT

