






Ginger

Joan Gaspar

marset

**Ginger B 20/44****Ginger B 20/63****Ginger B 20/86****Ginger B 20/44**

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm

Ginger B 20/63

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm


Ginger B 20/86

Light source:
LED SMD 24Vdc 5W 2700K CRI90
495lm
Luminaire:
(Power supply not included) 161lm

LED included

**Lacquered aluminium structure
and diffuser, with white interior always.**



- Black-White (RAL 9005 - 9010)
- Rust brown - White




**Dimmable dependiendo de la fuente de alimentación adquirida.
Alimentación eléctrica remota de 24V a pedir por separado.*






Download Assembly Instructions
Download 2D
Download 3D
Download Fotometrías

Post accessory**Ground fixation plate**

info@marset.com
www.marset.com

Range

The collection features new floor lamps, raised by means of a post that can be buried in dirt or gravel, perfect for illuminating pathways, gardens, terraces, and walls, and blending nicely with vegetation.

**Ginger B 32/65****Ginger B 32/88****Ginger B 32/111****Ginger B 32/65**

Fuente de luz:
LED SMD 24Vdc 10W 2700K CRI90
1030lm

Ginger B 32/88

Fuente de luz:
LED SMD 24Vdc 10W 2700K CRI90
1030lm

Ginger B 32/111

Fuente de luz:
LED SMD 24Vdc 10W 2700K CRI90
1030lm

LED incluido



**Lacquered aluminium structure
and diffuser, with white interior always.**

- Black-White (RAL 9005 - 9010)
- Rust brown - White




dimmable*

* Dimmable depending on the purchased power supply .
24V remote power supply to be ordered separately.

**Post accessory****Ground fixation plate**


info@marset.com
www.marset.com

[Download](#) Assembly Instructions
[Download](#) 2D
[Download](#) 3D
[Download](#) Photometric data


Range




Ginger 60C IP65




Ginger 42C IP65




Ginger 32C IP65



Ginger 20C IP65



Ginger 15C IP65



Ginger 15C IP65

Ginger 15C IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire:

(Power supply not included) 67lm - Black-White

(Power supply not included) 27lm - Rust brown

Ginger 20C IP65 *

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire:

(Power supply not included) 161lm - Black-White

(Power supply not included) 29lm - Rust brown

Ginger 32C IP65

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm

Luminaire:

220 - 240 VAC TRIAC 9W 350lm - Black-White

220 - 240 VAC TRIAC 9W 81lm - Rust Brown

Ginger 42C IP65

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire:

180 - 295 VAC TRIAC 19,71W 698lm - Black-White

180 - 295 VAC TRIAC 19,71W 186lm - Rust brown

Ginger 60C IP65

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire:

180 - 295 VAC TRIAC 26,09W 1165lm - Black-White

180 - 295 VAC TRIAC 26,09W 245lm - Rust brown

info@marset.com

LED included


Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.

● Rust brown

● Black-White (RAL 9005 - 9010)




dimmable

[Download](#) Assembly Instructions[Download](#) 2D[Download](#) 3D[Download](#) Photometric data**Range**


The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust brown for the exterior, which creates new and intense lighting effects.



Ginger 60/298



Ground fixation plate



Ginger 60/298

Light source:
LED SMD 1050mA 33,8W 2700K
CRI90 4037lm
Luminaire:
90 - 305 VAC 1-10V 35,8W 1463lm

LED included

Lacquered steel structure with black matt injected aluminium dissipater, and lacquered aluminium diffuser with white interior.

● Black-White (RAL 9005 - 9010)




[Download](#) Assembly Instructions

[Download](#) 2D

[Download](#) 3D



[Download](#) Photometric data

Range



info@marset.com
www.marset.com

The lamppost—at almost 3 meters high—is a design of function, a centrepiece of our new outdoor collection, on sober black, which discreetly illuminates your garden or the entryway to your outdoor space.

**Ginger 32A IP65****Ginger 20A IP65****Ginger 20A IP65 ***

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire:

(Power supply not included) 161lm - Black-White

(Power supply not included) 29lm - Rust brown

Ginger 32A IP65

Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm

Luminaire:

220 - 240 VAC TRIAC 9W 350lm - Black-White


220 - 240 VAC TRIAC 9W 81lm - Rust Brown

LED included

Painted aluminium diffuser. Lacquered black matt injected aluminium dissipater.

● Rust brown

● Black-White (RAL 9005 - 9010)



dimmable




Download Assembly Instructions

Download 2D

Download 3D

Download Photometric data

info@marset.com

Range

The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust brown for the exterior, which creates new and intense lighting effects.