



DESCRIPTION In an illusion of suspension, Doma Wall's Murano glass bell, supported by its metal arm, cradles the half-sphere that houses the light source. With its indirect light, Doma Wall creates intimate atmospheres and colorful reflections, enhancing the details of surfaces in both indoor and outdoor spaces. The Doma collection is also available in chandelier, floor, suspension, and table versions, in a range of finishes.


PRODUCTS DETAILS	FUNCTION	WALL
	LOCATION	INTERIOR
	LIGHT EMISSION	DOWNLIGHT
	LIGHT SOURCE	1 × 7W 350mA 1120lm 2700°K CRI >80
	ENERGY EFFICIENCY	D
	RATED VOLTAGE	110-120V / 220-240V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED

DALI or TRIAC dimming kit available upon request

CERTIFICATION     **IP20**

MATERIALS	STRUCTURE	
	M11	LIGHT BURNISHED BRASS
	M12	DARK BURNISHED BRASS
	GLASS	
	P	ANTIQUÉ PINK
	AW	ANTIQUÉ WHITE
	BL	BLUE
	V	GREEN
	G	SMOKE GREY

PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	49 × 27 × H 50 cm (19"3 × 10"6 × H 19"7)	4 kg	4,5 kg	0,07 m³



DESCRIPTION In an illusion of suspension, Doma Wall's Murano glass bell, supported by its metal arm, cradles the half-sphere that houses the light source. With its indirect light, Doma Wall creates intimate atmospheres and colorful reflections, enhancing the details of surfaces in both indoor and outdoor spaces. The Doma collection is also available in chandelier, floor, suspension, and table versions, in a range of finishes.

PRODUCTS DETAILS	FUNCTION	WALL
	LOCATION	EXTERIOR
	LIGHT EMISSION	DOWNLIGHT
	LIGHT SOURCE	1 × 7W 350mA 1120lm 2700°K CRI >80
	ENERGY EFFICIENCY	D
	RATED VOLTAGE	110-120V / 220-240V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED

DALI or TRIAC dimming kit available upon request

CERTIFICATION     **IP54**

MATERIALS	STRUCTURE	
	M11	LIGHT BURNISHED BRASS
	M12	DARK BURNISHED BRASS
	GLASS	
	P	ANTIQUÉ PINK
	AW	ANTIQUÉ WHITE
	BL	BLUE
	V	GREEN
	G	SMOKE GREY

PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	49 × 27 × H 50 cm (19"3 × 10"6 × H 19"7)	4 kg	4,5 kg	0,07 m³

