

## Calathea Tree of Life

REFERENCE PA640/25

### DESCRIPTION

Rising from the dense and untamable tropical forests, the Calathea unfurls its leaves with a breathtaking grace that reflects life's quiet wonder. Its intricate patterns and gentle response to light—folding and opening in harmony with its surroundings serve as a profound reminder of the importance of staying connected to the world around us. This rhythm of adaptation and serenity teaches us to embrace transformation with elegance, trusting in the natural flow that guides us. The Calathea Collection is a celebration of nature's artistry and a reflection of its quiet wisdom, inviting us to find beauty in life's twists and turns, to move through each moment with poise, and to let the light lead us toward something extraordinary.

**Finish shown here** Metal CO+FO+RO+TA | Glass 10


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

---

### MEASUREMENTS

#### FIXTURE SIZE & WEIGHT

**Height** 278.00cm / 108.40in

**Depth** 44.00cm / 17.30in

**Lenght** 275.00cm / 107.20in

**Weight** 163.00kg / 358.60lb

#### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 220.00m x 94.00m x 220.00m

=4.55CBM

**(in)Package 1/2** 86.63in x 37.01in x 86.63in

=160.68ft<sup>3</sup>

### ELECTRIC FEATURE

**Installation** Ceiling

**IP degree** IP20

#### **220-240V 50Hz-60Hz**

**Max Power Consumption** 41W

**Light Sources**

25 x LED module

#### Included Sources

**Light Sources**

25 x LED module

**Lumens** 4800lm

**Kelvin** 3000

**CRI** 90

**Dimming system** DALI

#### Optional Sources

**Light Sources**

25 x LED module

**Lumens** 4500lm

**Kelvin** 2700

**CRI** 80

**Dimming system** DALI

#### **110-120V 50Hz-60Hz**

**Max Power Consumption** 41W

**Light Sources**

25 x LED module

#### Included Sources

**Light Sources**

25 x LED module

**Lumens** 4800lm

**Kelvin** 3000

**CRI** 90

**Dimming system** DALI

#### Optional Sources

**Light Sources**

25 x LED module

**Lumens** 4500lm

**Kelvin** 2700

**CRI** 80

**Dimming system** DALI

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



---

SERIP

Serip is a registeres trademark. Copyright © 2026 Mário J. Pires - Serip. All rights reserved

<http://seripdesign.com> | [info@seripdesign.com](mailto:info@seripdesign.com) | +351 212 488 840

(Call cost to national fixed network)

## CERTIFICATIONS



## CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### METAL FINISHES



Talha (TA)



Silver/White  
Patina  
(FP/PB)



Silver (FP)



Rose Gold  
(RO)



Palladium  
(PL)



Lead (CH)



Gold/White  
Patina  
(FO/PB)



Gold (FO)



Copper (CO)



Black (PR)

### GLASS FINISHES



Clear (10)

SERIP