

Blossom Flora Small

REFERENCE CT3477/16

DESCRIPTION

On sweet spring mornings, dawn colors pink the sky with cherry blossom ink, as the earth awakens to life once more. Among the season's many wonders, the gladiolus emerges. It begins humbly, a small bulb buried deep in the soil, hidden from sight.

Rising, tall and proud, its blossoms unfurl one by one, climbing steadily toward the sky, carrying within the power to rise, even when the winds are fierce. Delicate in appearance, with ruffled petals and flame-like colors, the gladiolus carries strength in its very foundation. Its roots, anchoring it deep within the earth, hold steadfast through storms. It defies gravity, stretching upward with a quiet defiance, its spirit unyielding. Flame-kissed blossoms ignite the sky, where beauty and power intertwine, showing that strength can indeed be graceful. With roots grounded and petals open to the world, rise high, bloom fearlessly, and shine brightly.

Finish shown here Metal FP | Glass 10+37


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING





SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 32.00cm / 13.00in

Height 56.00cm / 22.00in

Length 84.00cm / 33.00in

OAH Overall Height Min 80.00cm / 32.00in

OAH Overall Height Max 320.00cm / 126.00in

Weight 18.00kg / 40.00lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.00m x 0.50m x 1.00m

=0.50CBM

(in)Package 1/2 39.37in x 19.69in x 39.37in

=17.66ft³

Weight 1/2 100.00kg / 221.00lb (aprox.)

ELECTRIC FEATURE

Installation Ceiling

IP degree IP20

220-240V 50Hz-60Hz

Max Power Consumption 20W

Light Sources

16 x LED 1,1W

Included Sources

Light Sources

16 x LED 1,1W

Lumens 1680lm

Kelvin 2950

CRI 80

Dimming system 1-10V

110-120V 50Hz-60Hz

Max Power Consumption 20W

Light Sources

16 x LED 1,1W

Included Sources

Light Sources

20 x LED 1,1W

Lumens 1680lm

Kelvin 2950

CRI 80

Dimming system 1-10V

ENERGY RATING



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

METAL FINISHES



Talha (TA)



Rose Gold (RO)



Black (PR)



Palladium
(PL)



Silver/White Patina
(FP/PB)



Silver (FP)



Gold/White Patina
(FO/PB)



Gold (FO)



Copper (CO)



Lead (CH)

GLASS FINISHES



Silver (44)



Gold (43)



Dark Blue (42)



Grey (41)



Blue Sea (39)



Water Blue (32)



Lilac (28)



Flamingo (27)



Red Wine (26)



Linden Green (24)



Beige (20)



Clear (10)



Fosco (37)

SERIP

Blossom Flora Medium

REFERENCE CT3477/32

DESCRIPTION

On sweet spring mornings, dawn colors pink the sky with cherry blossom ink, as the earth awakens to life once more. Among the season's many wonders, the gladiolus emerges. It begins humbly, a small bulb buried deep in the soil, hidden from sight.

Rising, tall and proud, its blossoms unfurl one by one, climbing steadily toward the sky, carrying within the power to rise, even when the winds are fierce. Delicate in appearance, with ruffled petals and flame-like colors, the gladiolus carries strength in its very foundation. Its roots, anchoring it deep within the earth, hold steadfast through storms. It defies gravity, stretching upward with a quiet defiance, its spirit unyielding. Flame-kissed blossoms ignite the sky, where beauty and power intertwine, showing that strength can indeed be graceful. With roots grounded and petals open to the world, rise high, bloom fearlessly, and shine brightly.

Finish shown here Metal FO/PB | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING





SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 40.00cm / 16.00in

Height 58.00cm / 23.00in

Length 131.00cm / 52.00in

OAH Overall Height Min 80.00cm / 32.00in

OAH Overall Height Max 345.00cm / 136.00in

Weight 25.00kg / 55.00lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.90m x 0.63m x 1.50m

=0.85CBM

(in)Package 1/2 35.43in x 24.80in x 59.06in

=30.05ft³

Weight 1/2 120.00kg / 265.00lb (aprox.)

ELECTRIC FEATURE

Installation Ceiling

IP degree IP20

220-240V 50Hz-60Hz

Max Power Consumption 40W

Light Sources

32 x LED 1,1W

Included Sources

Light Sources

32 x LED 1,1W

Lumens 3360lm

Kelvin 2950

CRI 80

Dimming system 1-10V

110-120V 50Hz-60Hz

Max Power Consumption 40W

Light Sources

32 x LED 1,1W

Included Sources

Light Sources

32 x LED 1,1W

Lumens 3360lm

Kelvin 2950

CRI 80

Dimming system 1-10V

ENERGY RATING



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

Serip is a registered trademark. Copyright © 2026 Mário J. Pires - Serip. All rights reserved

<http://seripdesign.com> | info@seripdesign.com | +351 212 488 840

(Call cost to national fixed network)

OPTIONAL FINISHES

METAL FINISHES



Talha (TA)



Rose Gold (RO)



Black (PR)



Palladium
(PL)



Silver/White Patina
(FP/PB)



Silver (FP)



Gold/White Patina
(FO/PB)



Gold (FO)



Copper (CO)



Lead (CH)

GLASS FINISHES



Silver (44)



Gold (43)



Dark Blue (42)



Grey (41)



Blue Sea (39)



Water Blue (32)



Lilac (28)



Flamingo (27)



Red Wine (26)



Linden Green (24)



Beige (20)



Clear (10)



Fosco (37)

SERIP

Serip is a registered trademark. Copyright © 2026 Mário J. Pires - Serip. All rights reserved

<http://seripdesign.com> | info@seripdesign.com | +351 212 488 840

(Call cost to national fixed network)