

Folio Cumulus Large

REFERENCE PL382/45

DESCRIPTION

Golden sunlight filters through a canopy of amber and ochre tones, illuminating the delicate veins of maple leaves as they drift gently to the ground, forming vibrant piles that glow with the warmth of the season. It is from this serene and fleeting beauty that the Folio Collection emerges, kissed by golden accents that echo the gentle grace of sunlight filtering through tree branches, while each piece transforms the essence of an autumn afternoon into breathtaking artistry. It brings the magic of fall indoors, wrapping hearts in its cozy embrace and dazzling eyes with its radiant, timeless charm.

Finish shown here Metal FO+FO/PB | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Diameter 180.00cm / 71.00in

Depth 25.00cm / 10.00in

Lenght 180.00cm / 71.00in

Weight 113.00kg / 249.00lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.25m x 0.77m x 1.25m
=1.20CBM

(in)Package 1/2 0.49in x 0.30in x 0.49in
=42.40ft³

ELECTRIC FEATURE

Installation Ceiling

IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 77W

Light Sources
45 x LED module

Included Sources

Light Sources

45 x LED module

Lumens 8100lm

Kelvin 3000

CRI 90

Dimming system 1-10V

Optional Sources

Light Sources

45 x LED module

Lumens 7650lm

Kelvin 2700

CRI 80

Dimming system 1-10V

110-120V 50Hz-60Hz

Max Power Consumption 77W

Light Sources

45 x LED module

Included Sources

Light Sources

45 x LED module

Lumens 8100lm

Kelvin 3000

CRI 80

Dimming system 1-10V

Optional Sources

Light Sources

45 x LED module

Lumens 7650lm

Kelvin 2700

CRI 80

Dimming system 1-10V

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



SERIP

Serip is a registeres trademark. Copyright © 2026 Mário J. Pires - Serip. All rights reserved

<http://seripdesign.com> | info@seripdesign.com | +351 212 488 840

(Call cost to national fixed network)

CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

METAL FINISHES



Talha (TA)



Rose Gold (RO)



Black (PR)



Palladium (PL)



Silver (FP)



Silver/White
Patina (FP/PB)



Gold/White Patina
(FO/PB)



Gold (FO)



Copper (CO)



Lead (CH)

GLASS FINISHES



Clear (10)

SERIP